

San Tan Ford 1429 East Motorplex Loop, Gilbert, Arizona, 85297 Office: 480-821-3200 Fax: 480-988-1691

Customer Proposal

Prepared for:

Lake Havasu City 900 London Bridge Rd Lake Havacu City, AZ 86403 Office: 928-855-1694

Email: gabeld@lhcaz.gov FIN: QS037-QE968

Ship to:

Donald Gabel Lake Havasu City 900 London Bridge Rd, Lake Havacu City, AZ, 86403

Prepared by:

Joe Sanchez Office: 480-621-3741

Email: joesanchez@santanford.com

Date: 07/05/2016

Vehicle: 2016 F-150 XL

4x2 SuperCab Styleside 6.5' box 145" WB





Date: July 5, 2016

Customer: Lake Havasu City

Vehicle Description: 2016 F150 Super Cab 4X2 Short Bed

With 5.0L FFV V8 Engine

Upgrade Options

Line Item/State Contract #: X1C / ADSPO12-016671

esanchez@santanford.com

\$21,491.00

San Ian	Government Fleet Sales Mana Joe Sanchez (480) 621-3741 Department Fax (480) 621-3796		ıgeı <u>io</u>
Gilbert Tord Arizona			

	1 5.0L FFV V8 Engine	1,595.00	
	2 Trailer Tow Package	495.00	
	3 Power Equipment Group	Standard on Contract	
	4 Cruise Control	Standard on Contract	
	5 Toolbox and Beacon Light	1,910.00	
	6 Sun Country Quote# 27547		
	7 Window Tint	250.00	
	8		
	9		
	10		
	11		
	12		
	13 14		
	15		
	16		
	17		
	18		
	19		
	20		
		\$4,250.00	
	Bid Price (with options)	\$25,741.00	
	Tire Tax	5.00	
	Sales Tax (7.80%)	2,007.80	
	Oulos Tux (7.0070)	2,007.00	
	Ford Extended Service Plan		
		4000.00	
	Transportation Fee	\$300.00	
	Total Delivered Price	\$28,053.80	
Notes:			
<u> </u>	Thank You,		
	Joe		
	300		

Base Bid Price

Table of Contents

Description	Page
Cover Page	1
Table of Contents	2
Selected Equip & Specs	3
Warranty - Selected	11
Selected Options	12
Pricing - Single Vehicle	14

Selected Equipment & Specs

Dimensions

* Exterior length: 231.9"* Exterior height: 75.5"* Turning radius: 23.5'

* Max ground clearance: 8.8"
* Rear legroom: 33.5"
* Rear headroom: 40.3"
* Rear hiproom: 64.7"

* Rear shoulder room: 65.8"* Approach angle: 24.4 deg

* Maximum cargo volume: 31.6cu.ft.

Powertrain

* 385hp 5.0L DOHC 32 valve V-8 engine with Ti-VCT variable valve control, variable intake length, SMPI

federal

Rear-wheel drive

* Fuel Economy Highway: 22 mpg

Suspension/Handling

* Front independent double wishbone suspension with anti-roll bar, gas-pressurized shocks

 Speed-sensing electric power-assist rack-pinion Steering

P245/70SR17 BSW AS front and rear tires

* Exterior width: 79.9"* Wheelbase: 145.0"

Min ground clearance: 8.7"Front legroom: 43.9"Front headroom: 40.8"

* Front hiproom: 62.5"

* Front shoulder room: 66.7"* Passenger volume: 116.0cu.ft.* Departure angle: 24 deg

Box length: 78.0"

* Recommended fuel: regular unleaded

* 6 speed automatic transmission with overdrive

* Fuel Economy City: 15 mpg

* Capless fuel filler

- Rear rigid axle leaf spring suspension with gaspressurized shocks
- * Front and rear 17 x 7.5 silver steel wheels

Body Exterior

* 4 doors

Reverse opening right rear passenger

* Black door mirrors

Class IV trailer hitch with trailer sway control

Easy lift tailgate

Trailer harness

* Clearcoat paint

- * Reverse opening left rear passenger
- * Driver and passenger folding door mirrors

* Black bumpers

* Bed-rail protectors

* Easy lower tailgate

* Box style: regular

* Front and rear 17 x 7.5 wheels

Convenience

Manual air conditioning

Manual front windows

Manual tilt steering wheel

Day-night rearview mirror

* Front and rear cupholders

Driver and passenger door bins

* Cruise control with steering wheel controls

* Manual door locks

* Manual telescopic steering wheel

* 1 1st row LCD monitor

Passenger visor mirror

* Rear door bins

Seats and Trim

* Seating capacity of 6

* 4-way driver seat adjustment

Centre front armrest

* Cloth seat upholstery

- * Front 40-20-40 split-bench seat
- * 4-way passenger seat adjustment
- * 60-40 folding rear split-bench seat

Entertainment Features

* AM/FM stereo radio

* Auxiliary audio input

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for:

By: Joe Sanchez Date: 07/05/2016 | Price Level: 655

12 speakers

* Fixed antenna

Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights
- * Fully automatic headlights
- Light tinted windows
- * Voltmeter
- Outside temperature display
- * Trip odometer

- Delay-off headlights
- * Variable intermittent front windshield wipers
- * Tachometer
- Oil pressure gauge
- * Low tire pressure warning

Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- ABS and driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Airbag supplemental restraint system occupancy sensor
- SecuriLock immobilizer

General Weights

* 3 manually adjustable rear head restraints

- * Brake assist with hill hold control
- * Electronic stability
- * Dual front impact airbag supplemental restraint system
- Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system
- Manual door locks
- * Manually adjustable front head restraints

Dimensions

General Weights			
Curb	4403 lbs.	GVWR	
Front GAWR		Rear GAWR	
Payload		Front curb weight	
Rear curb weight		Front spring rating	
Rear spring rating		Front tire/wheel capacity	3650 lbs.
Rear tire/wheel capacity	4050 lbs.		
Trailering Type			
Type	Regular	Harness	
Class		Hitch	Yes
Trailer sway control	Yes		
General Trailering			
5th-wheel towing capacity	9000 lbs.	Towing capacity	9100 lbs.
GCWR		. , ,	
Fuel Tank type			
Capacity	23 gal.	Capless fuel filler	Yes
Off Road			
Approach angle	24 deg	Departure angle	24 deg
Ramp breakover angle	18 deg	Min ground clearance	9 "
Max ground clearance		Load floor height	
Exterior cargo			
Length	78.0 "	Minimum width	50.6 "
Volume	62.3 cu.ft.	Pickup box depth	
Maximum width	65.2 "	Tailgate width	
Interior cargo			
<u> </u>			

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Maximum cargo volume

Powertrain

Engine Type Block material Aluminum Head material Aluminum Injection Sequential MPI Orientation Longitudinal	Cylinders V-8 Ignition Electronic Liters 5.0L Recommended fuel Regular unleaded
Valves per cylinder 4 Variable valve control Ti-VCT	Valvetrain Negular unleaded Valvetrain
Engine Spec	
Bore 3.63" Displacement 302 cu.in.	Compression ratio 10.5:1 Stroke 3.65"
Engine Power Output 385 HP @ 5,750 RPM	Torque 387 ftlb @ 3,850 RPM
Alternator	
Amps	
Battery	
Amp hours 70 Run down protection Yes	Cold cranking amps 610
Engine Extras	
Radiator HD	
Transmission	
Electronic control Yes Overdrive Yes Type Automatic	Lock-up Yes Speed 6
Transmission Gear Ratios	
1st 4.17 3rd 1.52 5th 0.86 Reverse Gear ratios 3.4	2nd 2.34 4th 1.14 6th 0.69
Transmission Torque Converter Stall ratio 2.30	
Transmission Extras Driver selectable mode Yes	
Drive Type Type Rear-wheel	
Drive Feature Traction control ABS and driveline	
Drive Axle	
Ratio	
Exhaust Material Stainless steel	System type Single
Emissions	_

CARB Federal	EPA Tier 2 Bin 4
fuel Economy	
City 15 mpg Fuel type Gasoline	Highway 22 mpg Combined 18 mpg
Fuel Economy (Alternate 1)	
City 11 mpg Fuel type E85	Highway 16 mpg Combined 13 mpg
Acceleration	
0-60 mph (s) 5.54	
1/4 Mile	
Seconds 14.0	Speed 103 mph
Skid Pad	•
Lateral acceleration (g) 0.7	
Slalom	
Speed 54 mph	
Green Values	
Energy Impact Score (Barrels per year) 18.3	Carbon FP / Tailpipe and upstream total GHG (CO2,
	tons per year) 9.8
Energy Impact Score (Barrels per year) 5.8	
veability	
Brakes	
ABS 4-wheel Type 4-wheel disc	ABS channels 4 Vented discs Front and rear
Brake Assistance	
Brake assist Yes	Hill hold control Yes
Suspension Control	
Ride Regular	Electronic stability Stability control with anti-roll
Front Suspension	
Independence Independent Anti-roll bar Regular	Type Double wishbone
Front Spring	
Type Coil	Grade Regular
Front Shocks	
Type Gas-pressurized	
Rear Suspension	
Independence Rigid axle	Type Leaf
Rear Spring	71
TypeLeaf	Grade Regular
Rear Shocks	
Type Gas-pressurized Steering	

Speed-sensing Yes	Activation Electric power-assist
Type Rack-pinion	
Steering Specs # of wheels 2	
# of wheels 2	
Exterior	
Front Wheels	
Diameter 17"	Width 7.50"
Rear Wheels	
Diameter	Width 7.50"
Spare Wheels	
Wheel material Steel	
Front and Rear Wheels	
Appearance Silver Covers Hub	Material Steel
Front Tires	
Aspect 70	Diameter 17"
Sidewalls BSW Tread AS	Speed S Type P
Width 245mm	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Rear Tires	
Aspect 70	Diameter 17"
Sidewalls BSW	Speed S Type P
Tread AS Width 245mm	TypeP
Spare Tire	
Mount Underbody w/crankdown	Type Full-size
Wheels	
Turning radius 23.5'	Wheelbase 145.0"
Body Features	
Front license plate bracket Yes	Body material Aluminum
Side impact beams Yes	Active grille shutters Yes
Body Doors	
Door count 4	Left rear passenger Reverse opening
Right rear passenger Reverse opening	Rear cargo Tailgate
Pickup Regular	Dad will wrote store
Box style Regular Easy lift tailgate Yes	Bed-rail protectors Yes Easy lower tailgate Yes
Exterior Dimensions	
Length 231.9"	Body width 79.9"
Body height 75.5" Frame yield strength (psi) 49300.0	Frame section modulus 5.0cu.in. Front bumper to Front axle 37.8"
Sefety.	

Safety

Airbags		
Driver front-impact Occupancy sensor		Driver side-impact Seat mounted Overhead Safety Canopy System curtain 1st and 2nd row
Passenger front-impact	Yes	Passenger side-impact Seat mounted
Seatbelt		
Rear centre 3 point Pre-tensioners		Height adjustable Front Pre-tensioners (#)
Security Immobilizer	SecuriLock	
Seating		
Passenger Capacity Capacity	6	
Front Seats		
Split	40-20-40	Type Split-bench
Driver Seat		
Fore/aft Way direction control		Reclining Manual
Passenger seat Fore/aft		Reclining Manual
Way direction control	4	
Front Head Restraint Control	Manual	Type Adjustable
Front Armrest		
Centre	Yes	
Rear Seats	Calit banah	E : Eraut
Descriptor Folding		Facing Front Folding position Fold-up cushion
Type		31
Rear Head Restraints		
Control Number	Manual 3	Type Adjustable
Front Seat Trim	Q1	
Material	Cloth	Back material Cloth
Rear Seat Trim Group	Cloth	Paul controls
Material	Cloth	Back material Carpet
Convenience		
AC And Heat Type		
Air conditioning	Ivianuai	Underseat ducts Yes
Audio System Auxiliary audio input	Yes	Radio AM/FM stereo

Radio grade Regular	Seek-scan Yes
Audio Speakers	
Speaker type Regular	Speakers 12
Audio Antenna	
Type Fixed	
LCD Monitors	
1st row 1	Primary monitor size (inches) 4.2
Cruise Control	
Cruise control With steering wheel controls	
Convenience Features	
12V DC power outlet 3	
Door Lock Activation	
Type Manual	
Door Lock Type	
Tailgate/rear door lock	
Instrumentation Type	
Display Analog	
Instrumentation Gauges	
Tachometer Yes	Oil pressure Yes
Engine temperature Yes Transmission fluid temp Yes	Voltmeter Yes
-	
Instrumentation Warnings Oil pressure Yes	Engine temperature Yes
Battery Yes	Lights on Yes
Key Yes	Low fuel Yes
Door ajar Yes Brake fluid Yes	Service interval Yes Low tire pressure Tire specific
	Low the pressure
Instrumentation Displays Clock In-radio display	Exterior temp Yes
• •	Exterior temp
Instrumentation Feature PRND in IP Yes	Trip odometer Yes
	The odometer 103
Steering Wheel Type Material Urethane	Tilting Manual
Telescoping Manual	Tilling
Front Side Windows	
Window 1st row activation Manual	
Windows Rear Side	
2nd row activation Fixed	
Window Features	
Tinted Light	
Front Windshield	
Wiper Variable intermittent	

Rear Windshield Window	Fixed		
Interior			
Passenger Visor Mirror	Yes		
Rear View Mirror Day-night	Yes		
Headliner Coverage	Full	Material	Cloth
Floor Trim Coverage	Full	Covering	Vinyl/rubber
	Urethane Chrome	Cabback insulator	Yes
Lighting Dome light type	Fade	Variable IP lighting	Yes
Rear yes	Yes Yes Yes Yes	Front Beverage holder(s) Passenger door bin Instrument panel Rear door bins	Yes Bin
Legroom Front	43.9"	Rear	33.5"
Headroom Front	40.8"	Rear	40.3"
Hip Room Front	62.5"	Rear	64.7"
Shoulder Room Front	66.7"	Rear	65.8"
Interior Volume Passenger volume	116.0 cu.ft.		

Warranty - Selected Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	
Corrosion Perforation Distance		Months	
Roadside Assistance Distance	60000 miles	Months	60 months

Selected Options

Code	Description	MSRP
Base Vehicle		
X1C	Base Vehicle Price (X1C)	\$30,600.00
Packages		
100A	Equipment Group 100A Base	N/C
Powertrain		
99F	Engine: 5.0L V8 FFV	\$1,595.00
446	Transmission: Electronic 6-Speed Automatic	Included
X27	Includes tow/haul mode. 3.31 Axle Ratio	Included
NONGV2	GVWR: 6,900 lbs Payload Package	Included
Wheels & Tires		
STDTR	Tires: P245/70R17 BSW A/S	Included
64C	Wheels: 17" Silver Steel	Included
Seats & Seat Trim		
С	Cloth 40/20/40 Front Seat Includes 2-way manual driver/passenger adjustment and armrest.	Included
Other Options		
145WB	145" Wheelbase	STD
STDRD	Radio: AM/FM Stereo w/6 Speakers	Included
	Includes auxiliary audio input jack (not available with SYNC).	
53B	Class IV Trailer Hitch Receiver	Included
	Includes towing capability up to 5,000 lbs., smart trailer tow connector a harness.	and 4-pin/7-pin wiring
53A	Trailer Tow Package (Fleet)	\$495.00
	Towing capability up to 11,100 lbs. Note: Ordering the Trailer Tow Pack Tow Mirrors. Trailer Tow Mirrors are a standalone option and must be a Code: 54M or 54Y/59S) Includes: - Auxiliary Transmission Oil Cooler - Class IV Trailer Hitch Receiver Includes towing capability up to 5,000 lbs., smart trailer tow connector harness Upgraded Front Stabilizer Bar	ordered separately. (Option
PAINT	Monotone Paint Application	STD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: By: Joe Sanchez Date: 07/05/2016 | Price Level: 655



Selected Options (cont'd)

Code	Description	MSRP
153	Front License Plate Bracket	N/C
	Standard in states requiring 2 license plates, optional to all others.	
Fleet Options		
85A	XL Power Equipment Group	\$1,170.00
	- Option Discount	-\$500.00
50S	Cruise Control	\$225.00
Interior Colors		
CG_01	Dark Earth Gray	N/C
Primary Colors		
YZ_01	Oxford White	N/C
SUBTOTAL		\$33,585.00
Destination Charge		\$1,195.00
TOTAL		\$34,780.00

Pricing - Single Vehicle

	MSRP
Vehicle Pricing	
Vehicle Price	\$30,600.00
Options & Colors	\$2,985.00
Upfitting	\$0.00
Destination Charge	\$1,195.00
Subtotal	\$34,780.00
Pre-Tax Adjustments	
Description	
Window Tint	\$250.00
Toolbox and Beacon Light Sun Country Quote# 27547	\$1,910.00
Vehicle Discount	-\$11,199.00
Subtotal	\$25,741.00
Sales Taxes	
Description	
Gilbert Sales Tax	\$386.12
Arizona State Sales Tax	\$1,621.68
Subtotal	\$27,748.80
Post-Tax Adjustments	
Description	
Tire Tax	\$5.00
Vehicle Transportation	\$300.00
Total	\$28,053.80
Customer Signature	Acceptance Date

Sun Country Truck 4245 E SUPERIOR AVE

PHOENIX, AZ 85040

Estimate

Date	Estimate #
7/5/2016	27547

Name / Address	Ship To
SAN TAN FORD	SAN TAN FORD
1429 E.MOTORPLEX LOOP	1429 E.MOTORPLEX LOOP
GILBERT,ARIZONA	GILBERT,ARIZONA
85296-7410	85296-7410

Rep	Chassis Model	fax#	Salesman
KL			Joe Sanchez

Item	Qty	Description	Cost	Total
R1LPPA	1	Whelen Engineering Responder LP Mini Lightbar - 12 Volt, Permanent Mount, Amber installed	650.00	650.00T
RTM-101-2	1	Acari mount 2015 Ford 150 installed	275.00	275.00T
125-3-01	1	Cross Box, Gloss White, Steel, Full Standard, 71-1/2 in L, 20 in W, 17-7/8 in H installed	985.00	985.00T

Not responsible for items left over 30 days.

Phone #	Fax#
602-438-4956	602-438-4947

Subtotal	\$1,910.00
Sales Tax (0.00)	\$0.00
Total	\$1,910.00