

San Tan Ford 1429 East Motorplex Loop, Gilbert, Arizona, 85297 Office: 480-821-3200 Fax: 480-988-1691

Customer Proposal

Prepared for:

Lake Havasu City
900 London Bridge Rd
Lake Havacu City, AZ 86403
Office: 928-855-1694

Email: gabeld@lhcaz.gov FIN: QS037-QE968

Ship to:

Donald Gabel Lake Havasu City 900 London Bridge Rd, Lake Havacu City, AZ, 86403

Prepared by:

Joe Sanchez Office: 480-621-3741

Email: joesanchez@santanford.com

Date: 07/07/2016

Vehicle: 2016 F-150 XL

4x4 SuperCab Styleside 6.5' box 145" WB





Government Fleet Sales Manager

Joe Sanchez (480) 621-3741 **Department Fax** (480) 621-3796

joesanchez@santanford.com

Customer: Lake Havasu City Line Item/State Contract #: X1E / ADSPO12-016671 Vehicle Description: 2016 F150 Super Cab 4X4 Short Bed With 5.0L FFV V8 Engine	
Vehicle Description: 2016 F150 Super Cab 4X4 Short Bed	
With 5.0L FFV V8 Engine	
Base Bid Price	\$25,110.00
Upgrade Options 1 5.0L FFV V8 Engine 2 Trailer Tow Package 3 Power Equipment Group 4 Cruise Control 5 3.55 Elocking Rear Axle 6 Skid Plates 7 Toolbox and Beacon Light 8 Sun Country Quote# 27547 9 Window Tint 10 11 12 13 14 15 16 17 18 19 20	1,595.00 495.00 Standard on Contract Standard on Contract Standard on Contract Standard on Contract 1,910.00 250.00
	\$4,250.00
Bid Price (with options)	\$29,360.00
Tire Tax Sales Tax (7.80%)	5.00 2,290.08
Ford Extended Service Plan	
Transportation Fee	\$300.00
Total Delivered Price	\$31,955.08

Table of Contents

Description	Page
Cover Page	1
Table of Contents	2
Selected Equip & Specs	3
Warranty - Selected	11
Selected Options	12
Pricing - Single Vehicle	14

Selected Equipment & Specs

Dimensions

Exterior length: 231.9" Exterior height: 77.2" Turning radius: 23.5'

Max ground clearance: 10.3"

Rear legroom: 33.5" Rear headroom: 40.3" Rear hiproom: 64.7" Rear shoulder room: 65.8" Approach angle: 25.8 deg

Maximum cargo volume: 31.6cu.ft.

Powertrain

385hp 5.0L DOHC 32 valve V-8 engine with Ti-VCT variable valve control, variable intake length, SMPI

federal

Part-time

Fuel Economy Highway: 21 mpg

Suspension/Handling

Front independent double wishbone suspension with anti-roll bar, gas-pressurized shocks

Speed-sensing electric power-assist rack-pinion

P265/70SR17 OWL AT front and rear tires

* Exterior width: 79.9" * Wheelbase: 145.0"

Min ground clearance: 9.3" Front legroom: 43.9"

Front headroom: 40.8" Front hiproom: 62.5"

Front shoulder room: 66.7" Passenger volume: 116.0cu.ft. Departure angle: 26.1 deg

Box length: 78.0"

* Recommended fuel: regular unleaded

6 speed automatic transmission with overdrive

Fuel Economy City: 15 mpg

Capless fuel filler

- Rear rigid axle leaf spring suspension with gaspressurized shocks
- Front and rear 17 x 7.5 silver steel wheels

Body Exterior

4 doors

Reverse opening right rear passenger

Black door mirrors

Class IV trailer hitch with trailer sway control

Easy lift tailgate

Trailer harness

Clearcoat paint

- Reverse opening left rear passenger
- Driver and passenger folding door mirrors

Black bumpers

Bed-rail protectors

Easy lower tailgate

Box style: regular

Front and rear 17 x 7.5 wheels

Convenience

Manual air conditioning

Manual front windows

Manual tilt steering wheel

Day-night rearview mirror

Front and rear cupholders

Driver and passenger door bins

- * Cruise control with steering wheel controls
- Manual door locks
- Manual telescopic steering wheel

1 1st row LCD monitor

Passenger visor mirror

Rear door bins

Seats and Trim

Seating capacity of 6

4-way driver seat adjustment

Centre front armrest

Cloth seat upholstery

- * Front 40-20-40 split-bench seat
- 4-way passenger seat adjustment
- * 60-40 folding rear split-bench seat

Entertainment Features

AM/FM stereo radio

* Auxiliary audio input

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

By: Joe Sanchez Date: 07/07/2016 | Price Level: 655

12 speakers

* Fixed antenna

Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights
- * Fully automatic headlights
- * Light tinted windows
- * Voltmeter
- Outside temperature display
- Trip odometer

- Delay-off headlights
- * Variable intermittent front windshield wipers
- * Tachometer
- Oil pressure gauge
- Low tire pressure warning

Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- ABS and driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Airbag supplemental restraint system occupancy sensor
- SecuriLock immobilizer

General Weights

3 manually adjustable rear head restraints

- * Brake assist with hill hold control
- * Electronic stability
- Dual front impact airbag supplemental restraint system
- Šafety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system
- Manual door locks
- * Manually adjustable front head restraints

Dimensions

Ochoral Wolghio			
Curb Front GAWR Payload Rear curb weight Rear spring rating Rear tire/wheel capacity	3600 lbs. 2200 lbs. 1886 lbs. 3800 lbs.	GVWR Rear GAWR Front curb weight Front spring rating Front tire/wheel capacity	3800 lbs. 2798 lbs. 3600 lbs.
Trailering Type			
Type Class Trailer sway control		Harness Hitch	
General Trailering			
5th-wheel towing capacity GCWR		Towing capacity	9000 lbs.
Fuel Tank type			
Capacity	23 gal.	Capless fuel filler	Yes
Off Road			
Approach angle Ramp breakover angle Max ground clearance	20 deg	Departure angle Min ground clearance Load floor height	9 "
Exterior cargo			
Length Volume Maximum width	62.3 cu.ft.	Minimum width Pickup box depth Tailgate width	21.4 "
Interior cargo			

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Maximum cargo volume

Powertrain

Engine Type Block material Aluminum Head material Aluminum Injection Sequential MPI Orientation Longitudinal Valves per cylinder 4 Variable valve control Ti-VCT	Cylinders V-8 Ignition Electronic Liters 5.0L Recommended fuel Regular unleaded Valvetrain DOHC
Engine Spec Bore 3.63"	Compression ratio 10.5:1
Displacement 302 cu.in.	Stroke 3.65"
Engine Power Output 385 HP @ 5,750 RPM	Torque
Alternator	
Amps	
Battery	
Amp hours 70 Run down protection Yes	Cold cranking amps 610
Engine Extras	
Radiator HD	
Transmission	
Electronic control Yes Overdrive Yes	Lock-up Yes
Overdrive Yes Type Automatic	Speed 6
Transmission Gear Ratios	
1st	2nd 2.34
3rd	4th
5th 0.86 Reverse Gear ratios 3.4	6th 0.69
Transmission Torque Converter	
Stall ratio 2.30	
Transmission Extras	
Driver selectable mode Yes	
Drive Type	
4wd type Part-time	Type Four-wheel
Drive Feature	
Traction control ABS and driveline Transfer case shift Electronic	Locking hub control Auto Rear locking differential Driver selectable
Drive Axle	
Ratio	
Exhaust	2
Material Stainless steel	System type Single

Emissions		
CARB	Federal	EPA Tier 2 Bin 4
fuel Economy		
City Fuel type	15 mpg Gasoline	Highway 21 mpg Combined 17 mpg
Fuel Economy (Alternate 1)		
City Fuel type		Highway 16 mpg Combined 13 mpg
Acceleration		
0-60 mph (s)	5.45	
1/4 Mile		
Seconds	14.0	Speed
Skid Pad		
Lateral acceleration (g)	8.0	
Slalom		
Speed	54 mph	
Green Values	·	
Energy Impact Score (Barrels per	r vear) 19.4	Carbon FP / Tailpipe and upstream total GHG (CO2,
		tons per year) 10.3
Energy Impact Score (Barrels per	r year) 5.8	
Driveability		
Brakes		
ABS Type		ABS channels 4 Vented discs Front and rear
Brake Assistance		
Brake assist	Yes	Hill hold control Yes
Suspension Control		
Ride	Regular	Electronic stability Stability control with anti-roll
Front Suspension		
Independence Anti-roll bar	Independent Regular	Type Double wishbone
Front Spring		
Type	Coil	Grade Regular
Front Shocks		
Type	Gas-pressurized	
Rear Suspension	·	
Independence	Rigid axle	Type Leaf
Rear Spring	Č	••
Type	Leaf	Grade Regular
Rear Shocks		- G
Type	Gas-pressurized	

Steering Speed-sensing Type Rack-pinion	Activation Electric power-assist
Steering Specs # of wheels 2	
Exterior	
Front Wheels	
Diameter 17"	Width 7.50"
Rear Wheels Diameter 17"	Width 7.50"
Spare Wheels Wheel material Steel	
Front and Rear Wheels	
Appearance Silver Covers Hub	Material Steel
Front Tires	
Aspect 70 Sidewalls OWL Tread AT Width 265mm	Diameter17"SpeedSTypeP
Rear Tires	
Aspect 70 Sidewalls OWL Tread AT Width 265mm	Diameter17"SpeedSTypeP
Spare Tire	
Mount Underbody w/crankdown	Type Full-size
Wheels	
Turning radius 23.5'	Wheelbase 145.0"
Body Features	
Front license plate bracket Yes Body material Aluminum Active grille shutters Yes	Skid plate(s) 3 Side impact beams Yes
Body Doors	
Door count 4 Right rear passenger Reverse opening	Left rear passenger Reverse opening Rear cargo Tailgate
Pickup	
Box style Regular Easy lift tailgate Yes	Bed-rail protectors Yes Easy lower tailgate Yes
Exterior Dimensions	
Length 231.9" Body height 77.2" Frame yield strength (psi) 49300.0	Body width 79.9" Frame section modulus 5.0cu.in. Front bumper to Front axle 37.8"

Safety

Airbags	
Driver front-impact Yes Occupancy sensor Yes	Driver side-impact Seat mounted Overhead Safety Canopy System curtain 1st and 2nd row
Passenger front-impact Yes	Passenger side-impact Seat mounted
Seatbelt	
Rear centre 3 point Yes Pre-tensioners Front	Height adjustable Front Pre-tensioners (#) 2
Security	
Immobilizer SecuriLock	
Seating	
Passenger Capacity	
Capacity 6	
Front Seats	
Split 40-20-40	Type Split-bench
Driver Seat	
Fore/aft Manual Way direction control 4	Reclining Manual
Passenger seat	
Fore/aft Manual Way direction control 4	Reclining Manual
Front Head Restraint	
Control Manual	Type Adjustable
Front Armrest	
Centre Yes	
Rear Seats	
Descriptor Split-bench Folding 60-40	Facing Front Fold-up cushion
Type Fixed	Folding position Fold-up Cushion
Rear Head Restraints	
Control Manual	Type Adjustable
Number3	,
Front Seat Trim	
Material Cloth	Back material Cloth
Rear Seat Trim Group	_
Material Cloth	Back material Carpet
Convenience	
AC And Heat Type	
Air conditioning Manual	Underseat ducts Yes

Audia Cuatam			
Audio System Auxiliary audio input Radio grade	Yes Regular	Radio Seek-scan	
Audio Speakers			
Speaker type	Regular	Speakers	
Audio Antenna			
Туре	Fixed		
LCD Monitors			
1st row	1	Primary monitor size (inches)	4.2
Cruise Control With steering	ng wheel controls		
Convenience Features	5		
12V DC power outlet	3		
Door Lock Activation	-		
Type	Manual		
Door Lock Type			
Tailgate/rear door lock	Manual		
Instrumentation Type			
Display	Analog		
Instrumentation Gauges	Ū		
Tachometer		Oil pressure	
Engine temperature Transmission fluid temp		Voltmeter	Yes
Instrumentation Warnings			
Oil pressure		Engine temperature	
Battery	Yes	Lights on	
Key	Yes	Low fuel Service interval	
Brake fluid		Low tire pressure	
Instrumentation Displays			
Clock	La maralla allamitare	Exterior temp	Yes
Instrumentation Feature			
PRND in IP	Yes	Trip odometer	Yes
Steering Wheel Type			
Material Telescoping		Tilting	Manual
Front Side Windows			
Window 1st row activation	Manual		
Windows Rear Side			
2nd row activation	Fixed		
Window Features			
Tinted	Light		
	-		

Front Windshield Wiper Variab Rear Windshield Window	= ' !		
Interior			
Passenger Visor Mirror Rear View Mirror	Yes		
Day-night	Yes		
Headliner			
Coverage	Full	Material	Cloth
Floor Trim			
Coverage	Full	Covering	Vinyl/rubber
Trim Feature			
Gear shift knob Interior accents		Cabback insulator	Yes
Lighting			
Dome light type	Fade	Variable IP lighting	Yes
Storage			
Driver door bin		Front Beverage holder(s)	
Glove box Rear yes	Yes	Passenger door bin Instrument panel	
Dashboard	Yes	Rear door bins	
Legroom			
Front	43.9"	Rear	33.5"
Headroom			
Front	40.8"	Rear	40.3"
Hip Room			
Front	62.5"	Rear	64.7"
Shoulder Room			
Front	66.7"	Rear	65.8"
Interior Volume			
Passenger volume	116.0 cu.ft.		

Warranty - Selected Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	60 months
Corrosion Perforation Distance	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months

Selected Options

Code	Description	MSRP
Base Vehicle		
X1E	Base Vehicle Price (X1E)	\$34,025.00
Packages		
100A	Equipment Group 100A Base	N/C
Powertrain		
99F	Engine: 5.0L V8 FFV	\$1,595.00
446	Transmission: Electronic 6-Speed Automatic	Included
	Includes tow/haul mode.	
XL9	Electronic Locking w/3.55 Axle Ratio	\$470.00
NONGV2	GVWR: 7,050 lbs Payload Package	Included
Wheels & Tires		
STDTR	Tires: P265/70R17 OWL A/T	Included
64C	Wheels: 17" Silver Steel	Included
Seats & Seat Trim		
С	Cloth 40/20/40 Front Seat	Included
	Includes 2-way manual driver/passenger adjustment and armrest.	
Other Options		
145WB	145" Wheelbase	STD
STDRD	Radio: AM/FM Stereo w/6 Speakers	Included
	Includes auxiliary audio input jack (not available with SYNC).	
53B	Class IV Trailer Hitch Receiver	Included
	Includes towing capability up to 5,000 lbs., smart trailer tow connector and 4-pin/harness.	7-pin wiring
53A	Trailer Tow Package (Fleet)	\$495.00
	Towing capability up to 11,100 lbs. Note: Ordering the Trailer Tow Package does Tow Mirrors. Trailer Tow Mirrors are a standalone option and must be ordered se Code: 54M or 54Y/59S) Includes: - Auxiliary Transmission Oil Cooler - Class IV Trailer Hitch Receiver Includes towing capability up to 5,000 lbs., smart trailer tow connector and 4-pir harness Upgraded Front Stabilizer Bar	eparately. (Option
413_	Skid Plates (Fleet)	\$160.00
	Includes fuel tank, transfer case and front differential.	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: By: Joe Sanchez Date: 07/07/2016 | Price Level: 655

Selected Options (cont'd)

Code	Description	MSRP
PAINT	Monotone Paint Application	STD
153	Front License Plate Bracket	N/C
	Standard in states requiring 2 license plates, optional to all others.	
Fleet Options		
85A	XL Power Equipment Group	\$1,170.00
	- Option Discount	-\$500.00
50S	Cruise Control	\$225.00
Interior Colors		
CG_01	Dark Earth Gray	N/C
Primary Colors		
YZ_01	Oxford White	N/C
SUBTOTAL		\$37,640.00
Destination Charge		\$1,195.00
TOTAL		\$38,835.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared for: By: Joe Sanchez Date: 07/07/2016 | Price Level: 655

Pricing - Single Vehicle

	MSRP
Vehicle Pricing	
Vehicle Price	\$34,025.00
Options & Colors	\$3,615.00
Upfitting	\$0.00
Destination Charge	\$1,195.00
Subtotal	\$38,835.00
Pre-Tax Adjustments	
Description	
Window Tint	\$250.00
Toolbox and Beacon Light Sun Country Quote# 27547	\$1,910.00
Vehicle Discount	-\$11,635.00
Subtotal	\$29,360.00
Sales Taxes	
Description	
Gilbert Sales Tax	\$440.40
Arizona State Sales Tax	\$1,849.68
Subtotal	\$31,650.08
Post-Tax Adjustments	
Description	
Tire Tax	\$5.00
Vehicle Transportation	\$300.00
Total	\$31,955.08
Customer Signature	Acceptance Date