

San Tan Ford 1429 East Motorplex Loop, Gilbert, Arizona, 85297 Office: 480-821-3200 Fax: 480-988-1691

Customer Proposal

Prepared for:

Lake Havasu City 900 London Bridge Rd Lake Havacu City, AZ 86403 Office: 928-855-1694 Email: gabeld@lhcaz.gov FIN: QS037-QE968

Ship to:

Donald Gabel Lake Havasu City 900 London Bridge Rd, Lake Havacu City, AZ, 86403

Prepared by:

Joe Sanchez Office: 480-621-3741 Email: joesanchez@santanford.com

Date: 06/21/2016 Vehicle: 2017 F-250 XL 4x2 SD Super Cab 8' box 164" WB SRW





Joe Sanchez (480) 621-3741 Department Fax (480) 621-3796

Date:	luno	21	2016	
Dale.	June	ΖΙ,	2010	

Customer: Lake Havasu City

Line Item/State Contract #: X2A / ADSPO12-016671

Vehicle Description: 2017 Ford F250 Super Cab 4X2 with ARF Animal Body

With 6.2L FFV V8 Gas Engine

Ва	se Bid Price	\$25,570.00
Upgrade Options		
1 3.73 Elocking Rear Axle		Standard on Contract
2 Power Equipment Group		Standard on Contract
3 Cruise Control		Standard on Contract
4 Upfitter Switches		165.00
5 ARF-95 Animal Body		21,600.00
6 Window Tint		250.00
7		
8		
9		
10		
11		
12		
3		
4		
5		
6		
7		
18		
19		
20		\$22,015.00
		ψΖΖ,013.00
Bid Price (w	vith options)	\$47,585.00
	Tire Tax	5.00
Sales	Tax (7.80%)	3,711.63
Ford Extended 3	Service Plan	
	ortation Fee	\$300.00

Notes:



Table of Contents

Description

Page

Cover Page	1
Table of Contents	2
Selected Equip & Specs	
Warranty - Selected	11
Selected Options	
Pricing - Single Vehicle	



Selected Equipment & Specs

Dimensions

- * Exterior length: 254.4"
- * Exterior height: 78.1"
- * Front track: 68.3
- * Turning radius: 28.0'
- * Front legroom: 43.9"
- * Front headroom: 40.8"
- * Front hiproom: 62.5"
- * Front shoulder room: 66.7"
- * Passenger volume: 116.0cu.ft.
- * Departure angle: 19 deg
- * Maximum cargo volume: 31.6cu.ft.

Powertrain

- 385hp 6.2L SOHC 16 valve V-8 engine with variable valve control, SMPI
- * federal
- * Rear-wheel drive
- * Fuel Economy Highway: N/A

Suspension/Handling

- Front Twin I-Beam independent suspension with antiroll bar, HD shocks
- Firm ride Suspension
- * Front and rear 17 x 7.5 painted steel wheels

Body Exterior

- * 4 doors
- * Reverse opening right rear passenger
- * Black door mirrors
- * Class V trailer hitch with trailer sway control
- * Easy lift tailgate
- * Trailer harness
- * Clearcoat paint

Convenience

- * Manual air conditioning with air filter
- * Manual front windows
- * Manual tilt steering wheel
- * Day-night rearview mirror
- Front cupholders
- Full overhead console

Seats and Trim

- * Seating capacity of 6
- * 4-way driver seat adjustment
- * 4-way passenger seat adjustment
- * 60-40 folding rear split-bench seat

Entertainment Features

- * Exterior width: 80.0"
- * Wheelbase: 164.0"
- * Rear track: 67.2"
- * Min ground clearance: 8.5"
- * Rear legroom: 33.5"
- * Rear headroom: 40.3"
- * Rear hiproom: 64.7"
- * Rear shoulder room: 65.8"
- * Approach angle: 17.8 deg
- * Cargo volume: 31.6cu.ft.
- * Box length: 98.1"
- * Recommended fuel : regular unleaded
- * TorqShift-G 6 speed automatic transmission with overdrive
- Fuel Economy Cty: N/A
- * Rear rigid axle leaf spring suspension with HD shocks
- * Hydraulic power-assist re-circulating ball Steering
- * LT245/75SR17 EBSW AS front and rear tires
- * Reverse opening left rear passenger
- * Driver and passenger folding door mirrors
- * Black bumpers
- * Bed-rail protectors
- * Easy lower tailgate
- * Box style: regular
- * Front and rear 17 x 7.5 wheels
- * Cruise control with steering wheel controls
- * Manual door locks with illuminated entry
- * Manual telescopic steering wheel
- * 1 1st row LCD monitor
- * Passenger visor mirror
- * Driver and passenger door bins
- * Front 40-20-40 split-bench seat
- * Manual driver lumbar support
- * Centre front armrest with storage
- * Cloth seat upholstery



- * AM/FM stereo radio
- * Fixed antenna

Lighting, Visibility and Instrumentation

- * Halogen aero-composite headlights
- * Fully automatic headlights
- Light tinted windows
- * Tachometer
- * Outside temperature display
- * Trip computer

Safety and Security

- * 4-wheel ABS brakes
- 4-wheel disc brakes
- * ABS and driveline traction control
- * Dual seat mounted side impact airbag supplemental restraint system
- * Manual door locks panic alarm
- * MyKey restricted driving mode
- 3 manually adjustable rear head restraints

Dimensions

General Weights

<u> </u>	
Curb	6059 lbs.
Front GAWR	4400 lbs.
Payload	3910 lbs.
Rear curb weight	2575 lbs.
Rear axle capacity	6200 lbs.
Rear spring rating	6340 lbs.
Trailering Type	
Туре	Regular
Class	V
Trailer sway control	Yes
General Trailering	
5th-wheel towing capacity	12900 lbs.
GCWR	40000

Fuel Tank type

Capacity 34 gal.

Off Road

Approach angle18 degRamp breakover angle18 degLoad floor height35 "

Exterior cargo

Length	98.1 "
Volume	
Maximum width	
Interior cargo	
Cargo volume	31.6 cu.ft.

- * 12 speakers
- * Delay-off headlights
- * Variable intermittent front windshield wipers
- * Front reading lights
- * Oil pressure gauge
- * Low tire pressure warning
- * Trip odometer
- * Brake assist with hill hold control
- * Electronic stability
- * Dual front impact airbag supplemental restraint system with passenger cancel
- Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system
- * SecuriLock immobilizer
- * Manually adjustable front head restraints

GVWR100Rear GAWR63Front curb weight34Front axle capacity52Front spring rating44	340 lbs. 484 lbs. 250 lbs.
Harness Hitch	
Towing capacity 12	500 lbs.
Departure angle Min ground clearance	
Minimum width Pickup box depth Tailgate width	. 21.1 "
Maximum cargo volume	.6 cu.ft.



Powertrain

Engine Type Block material Iron Head material Aluminum Injection Sequential MPI Orientation Valves per cylinder 2 Variable valve control Yes Engine Spec Bore 4.02" Displacement 379 cu.in. Engine Power SAEJ1349 AUG2004 compliant Yes Torque 405 ft.-lb @ 4,500 RPM Alternator Amps Battery Amp hours 72 Yes Run down protection Transmission Electronic control Yes Overdrive Yes Type Automatic Transmission Gear Ratios 1st 4.17 3rd 1.52 5th 0.87 Reverse Gear ratios 3.4 Transmission Torque Converter Stall ratio 2.01 Transmission Extras Driver selectable mode Yes Oil cooler Regular duty Drive Type Rear-wheel Туре Drive Feature Traction control ABS and driveline Drive Axle 3.73 Ratio Exhaust Material Stainless steel Emissions CARB Federal

CylindersV-8IgnitionElectronicLiters6.2LRecommended fuelRegular unleadedValvetrainSOHC
Compression ratio9.8:1Stroke3.74"
Output
Cold cranking amps 650
Lock-up Yes Speed 6
2nd 2.34 4th 1.14 6th 0.69
Sequential shift control SelectShift
Rear locking differential Driver selectable
System type Single

EPA Tier 2 Bin 8

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See

salesperson for the most current information.



fuel Economy Fuel type Gasoline	
Acceleration	
0-60 mph (s) 7.03	
1/4 Mile	
Seconds 15.4	Speed
Skid Pad	
Lateral acceleration (g) 0.6	
Slalom	
Speed	
Driveability	
Brakes	
ABS 4-wheel Type 4-wheel disc	ABS channels 4 Vented discs Front and rear
Brake Assistance	
Brake assist Yes	Hill hold control Yes
Suspension Control	
Ride	Electronic stability Stability control with anti-roll
Front Suspension	
Independence Twin I-Beam independent	Anti-roll bar Regular
Front Spring	
Type Coil	Grade Regular
Front Shocks	
Туре НD	
Rear Suspension	
Independence Rigid axle	Type Leaf
Rear Spring	
Type Leaf	Grade HD
Rear Shocks	
Type HD	
Steering Activation Hydraulic power-assist	Type Re-circulating ball
Steering Specs	
# of wheels	
Exterior	
Front Wheels	
Diameter	Width 7.50"
Rear Wheels	
Diameter	Width



S	Spare Wheels Wheel material Steel	
F	Front and Rear Wheels	
	Appearance Painted Covers Hub	Material
F	Front Tires	
	Aspect75SidewallsBSWTreadASWidth245mmRPM660	Diameter Speed Type LT load rating
F	Rear Tires	
	Aspect75SidewallsBSWTreadASWidth245mmRPM660	Diameter Speed Type LT load rating
S	Spare Tire	
	Mount Underbody w/crankdown	Туре
V	Vheels	
	Front track 68.3" Turning radius 28.0	Rear track Wheelbase
E	Body Features	
	Front license plate bracket Yes Side impact beams Yes	Body material
E	Body Doors Door count 4 Right rear passenger Reverse opening	Left rear passen Rear cargo
F	Pickup	
	Box style Regular Easy lift tailgate Yes	Bed-rail protecto Easy lower tailga
E	Exterior Dimensions	
	Length254.4"Body height78.1"Frame section modulus10.7cu.in.Front bumper to Front axle38.2"	Body width Cab to axle Frame yield stre Front bumper to
Safe	ety	
	hirbags Driver front-impact Yes Overhead Safety Canopy System curtain 1st and 2nd row Passenger side-impact Seat mounted	Driver side-impa Passenger front-
S	Seatbelt Rear centre 3 point Yes	Height adjustabl

Material		Steel
----------	--	-------

Diameter	17"
Speed	S
Туре	
LT load rating	

Diameter	1
Speed S	,
Туре	•
LT load rating	

Туре	 Full-size

Rear track	
Wheelbase	

Body material A	luminum
-----------------	---------

Left rear passenger	Reverse opening
Rear cargo	Tailgate
Bed-rail protectors	Yes
Easy lower tailgate	Yes

Body width	80.0"
Cab to axle	
Frame yield strength (psi)	50000.0
Front bumper to back of cab	

Driver side-impact	Seat mounted
Passenger front-impact	Cancellable

Height adjustable	Front
-------------------	-------



Yes

Split-bench

Manual Manual

Manual

Front

Cloth

Yes

Regular

Adjustable

Yes

Fold-up cushion

Carpet

Adjustable

Selected Equipment & Specs (cont'd)

Security		
Immobilizer Restricted driving mode		Panic alarm
Seating		
Passenger Capacity Capacity	6	
Front Seats Split	40-20-40	Туре
<i>Driver Seat</i> Fore/aft Way direction control		Reclining Lumbar support
Passenger seat Fore/aft Way direction control		Reclining
Front Head Restraint Control	Manual	Туре
Front Armrest Centre	Yes	Storage
<i>Rear Seats</i> Descriptor Folding Type	60-40	Facing Folding position
Rear Head Restraints Control Number		Туре
Front Seat Trim Material	Cloth	Back material
Rear Seat Trim Group Material	Vinyl	Back material
Convenience		
AC And Heat Type Air conditioning Underseat ducts		Air filter
Audio System Radio AN Seek-scan		Radio grade
Audio Speakers Speaker type	Regular	Speakers
<i>Audio Antenna</i> Type	Fixed	

LCD Monitors



1st row
Cruise Control Cruise control With steering wheel controls
Convenience Features 12V DC power outlet 2
Door Lock Activation Type Manual
Door Lock Type Tailgate/rear door lock Manual
Instrumentation Type Display Analog
Instrumentation GaugesTachometerYesEngine temperatureYesEngine hour meterYes
Instrumentation WarningsOil pressureYesBatteryYesKeyYesDoor ajarYesBrake fluidYes
Instrumentation Displays Clock In-radio display Systems monitor Yes
Instrumentation Feature PRND in IP Yes Trip odometer Yes
Steering Wheel Type Material Urethane Telescoping Manual
Front Side Windows Window 1st row activation Manual
Windows Rear Side2nd row activationFixed
Window Features Tinted Light
Front Windshield Wiper Variable intermittent
Rear Windshield Window Fixed

Primary monitor size (inches) 2.3

Oil pressure	Yes
Transmission fluid temp	Yes

Engine temperature Lights on Low fuel Service interval Low tire pressure	Yes Yes Yes
Exterior temp	Yes
Trip computer	Yes
Tilting	Manual

Interior



Passenger Visor Mirror	Yes
Rear View Mirror	
Day-night	Yes
Headliner	
Coverage	Full
Floor Trim	
Coverage	Full
Trim Feature	
Gear shift knob	Urethane
Lighting	
Dome light type	
Illuminated entry	165
Overhead Console Storage	Vaa
Storage	Tes
Storage Driver door bin	Vaa
Glove box	
Illuminated	Yes
Dashboard	Covered
Legroom	
Front	43.9"
Headroom	
Front	
Hip Room	
Front	
Shoulder Room	
Front	66.7"
Interior Volume	
Passenger volume	116.0 cu.ft.

Material	Cloth
Covering	Vinyl/rubber
Interior accents	Chrome
Front reading Variable IP lighting	
Туре	Full
Front Beverage holder(s) Passenger door bin Instrument panel	Yes
Rear	33.5"
Rear	
Rear	
Rear	65.8"



Warranty - Selected Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	
Powertrain Distance	60000 miles	Months	60 months
Corrosion Perforation	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months



Selected Options

Code	Description	MSRP
Base Vehicle		
X2A	Base Vehicle Price (X2A)	\$35,070.00
Packages		
600A	Order Code 600A	N/C
Powertrain		
996	Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex Fuel	Included
44S	Transmission: TorqShift-G 6-Spd Auto w/SelectShift	STD
X3E	Electronic-Locking w/3.73 Axle Ratio	\$390.00
STDGV	GVWR: 10,000 lb Payload Package	Included
Wheels & Tires		
ТВК	Tires: LT245/75Rx17E BSW A/S	Included
64A	Wheels: 17" Argent Painted Steel	Included
	Includes painted hub covers/center ornaments.	
Seats & Seat Trim		
1	Cloth 40/20/40 Split Bench Seat	\$100.00
	Includes center armrest, cupholder, storage and driver's side manual lumbar.	
Other Options		
164WB	164" Wheelbase	STD
90L	Power Equipment Group	\$915.00
	 Deletes passenger-side lock cylinder. Includes upgraded door trim panel. Includes: Accessory Delay Manual Telescoping/Folding Trailer Tow Mirrors Includes power/heated glass, heated convex spotter mirror and integrated clea. signals. Perimeter Alarm Power Locks Power Front Windows Includes 1-touch up and down driver and passenger windows. Remote Keyless-Entry 	rance lamps/turn
PAINT	Monotone Paint Application	STD
66S	Upfitter Switches (6)	\$165.00
507	Located in overhead console.	
587	Radio: AM/FM Stereo	Included



Selected Options (cont'd)

Code	Description	MSRP
	Includes 6 speakers.	
Fleet Options		
525	Steering Wheel-Mounted Cruise Control (LPO)	\$235.00
Emissions		
425	50-State Emissions System	STD
Interior Colors		
1S_05	Medium Earth Gray	N/C
Primary Colors		
Z1_01	Oxford White	N/C
SUBTOTAL		\$36,875.00
Destination Charge		\$1,195.00
TOTAL		\$38,070.00



Pricing - Single Vehicle

	MSRP
Vehicle Pricing	
Vehicle Price	\$35,070.00
Options & Colors	\$1,805.00
Upfitting	\$0.00
Destination Charge	\$1,195.00
Subtotal	\$38,070.00
Pre-Tax Adjustments	
Description	
Window Tint	\$250.00
ARF-95 Animal Body	\$21,600.00
Vehicle Discount	-\$12,335.00
Subtotal	\$47,585.00
Sales Taxes	
Description	
Gilbert Sales Tax	\$713.78
Arizona State Sales Tax	\$2,997.86
Subtotal	\$51,296.63
Post-Tax Adjustments	
Description	
Tire Tax	\$5.00
Vehicle Transportation	\$300.00
Total	\$51,601.63

Customer Signature

Acceptance Date

Sun Country Truck 4245 E SUPERIOR AVE PHOENIX, AZ 85040

Estimate

 Date
 Estimate #

 6/21/2016
 23331

Name / Address	Ship To
SAN TAN FORD	SAN TAN FORD
1429 E.MOTORPLEX LOOP	1429 E.MOTORPLEX LOOP
GILBERT,ARIZONA	GILBERT,ARIZONA
85296-7410	85296-7410

			Rep	Chassis Model	fax#		Salesman
			KL				Joe Sanchez
Item	Qty			Description		Cost	Total
ARF.95 Peo		1 A 20 L	onditioning in	Stainless steel frame, 6 safety o	loors, and air	19,700.00	
Not responsible f	or items left	over 30	days.		Subtotal		\$21,600.00
Phone	#	Fa	ax#		Sales Tax	c (0.00)	\$0.00
602-438-4	4956	602-4	38-4947		Total		\$21,600.00